

Reference List and Order Book of Passenger Ships

The delivery record of passenger ships :	in total	23units
1. 1300p/1800lm RoPax(K-01/02)		2 units
2. 1026p/615lm RoPax(K-03)		1 unit
3. 1100p/700lm RoPax(K-04/10)		2 unit
4. 1600p/2000lm RoPax(K-05/06/07/08/09)		5 units
5. 2200P/1100LM RoPax(K-17)		1 unit
6. 2300p/2500lm RoPax(K-11/12/15/16)		4 units
7. 999p/950lm Coastal RoPax(K-20/21)		2 units
8. 400p 126m Loa Cruise Ship(K-19)		1unit
9. 1500p/2500lm RoPax(K-27)		1unit
10.1500p/1400lm RoPax(K-26)		1unit
11.800p Container Pax Ship(K-28)		1unit
12.1500p/2400lm RoPax(K-32)		1unit
13.1200p/1680lm RoPax(K-29)		1unit

Orders in building progress :	in total	3 unit
1. 1200p/1680lm RoPax(K-33)	delivery schedule May2019	1unit
2. 2000p/3000lm RoPax(K-36)	delivery schedule Sep2019	1unit
3. 2300p/2580lm RoPax(K-51)	delivery schedule Aug2020	1unit

Nov 2018

I. Passenger Ship delivery record

1、1020P/615LM RoPax （Ship Name: Sheng Sheng 1, Hull No.: K-03）



Loa:	~120.00m	Service speed:	16.3Kn
B:	20.40m	Endurance:	4000n.mile
D:	6.80m/12.10m	Lane meter:	615m(two decks)
draft design:	5.00m	M/E:	8DKM-28 2500KW×2
draft scantling:	6.15m	GenSets:	500kw×3
Gross Tonnage:	10640	EDG:	200kw×1
Crew:	60p	Bow Thruster:	500kw×1
Pax:	1020P		

2、1100P/700LM RoPax (Ship Name: Wan Rong Hai/De Yin Hai, Hull No. :K-04/10)



Loa:	~129.90m	Service speed:	16Kn
Lbp:	120.40m	Endurance:	4000n.mile
B:	20.40m	Lane meter:	733m
D:	6.80m/12.30m	M/E:	8DKM-28 2500KW×2
draft design:	5.00m	GenSets:	710kw×3
GRT:	~10800	EDG:	200kw×1
Crew:	67p	Bow Thruster:	500kw×1
Pax:	1100P		

3、 1300P/1800LM RoPax (Ship Name: Bohai Jinzhu/Bohai Yinzhu, Hull No. :K-01/02)



Loa:	~161.20m	Max speed:	19.2Kn
B:	24.80m	Endurane:	2200n.mile
D:	7.50m/12.70m	Lane meters:	1829m(3 decks)
T design:	6.00m	M/E:	MAN B & W 6720 KW × 2
T scantling:	6.15m	GenSets:	770kw × 3
GRT/NT:	20100/12600	S/G:	900kva × 2
Crew:	75p	EDG:	235kw × 1
Pax:	1342P	Side Thrusters:	85KN × 2

4、1600P/2000LM RoPax (series 5 ships in total, shipname: Bohai Zhenzhu/Bohai Yuzhu/Bohai Baozhu/Bohai Feizhu/Wan Tong Hai, Hull No. :K-05/06/08/09/K-07)



Loa:	~163.95m	Max speed:	19.2Kn
B:	25.00m	Endurance:	2200n.mile
D:	7.90m/13.40m	Lane meter:	2000m(3 decks)
T design:	5.95m	M/E:	MAN B & W 12V32/40 6000 KW × 2
T scantling:	6.10m	GenSets:	590kw × 3
GRT/NT:	24000/12900	S/G:	1100kw × 2
Crew:	81p	EDG:	250kw × 1
Pax:	1647P	Side Thruster:	1000kw × 1

5、2200P/1100LM RoPax (Shipname: ShengSheng2, Hull No. :K-17)



Loa:	~165.00m	Max speed:	18.3Kn
B:	24.00m	Endurance:	3000n.mile
D:	7.90m	Lane meters:	1050m(2 decks)
T design:	5.50m	M/E:	MAN B & W 9L32/40 4500 KW×2
T scantling:	6.80m	GenSets:	600kw×3
Deadweight:	5000t	S/G:	1500kw×2
Crew:	80p	EDG:	250kw×1
Pax:	2160P	Bow Thruster:	1000kw×1


6、2300P/2500LM RoPax (Shipname: Bohai Cuizhu/Bohai Jingzhu/Bohai Zuanzhu/Bohai Mazhu, Hull No. : K-11/12/15/16)



Loa:	~178.80m
B:	24.00m
D:	9.20m/
T design:	6.20m
T scantling:	6.50m
Deadweight:	7800t
Crew:	99p
Pax:	23260P _(coastal voyage) /1832P _(international voyage)
Service speed:	20.2Kn

Endurance:	3000n.mile
Lane meters:	2480m(3 decks)
M/E:	MAN B & W 16V32/40 4500 KW × 2
GenSets:	750kw × 3
S/G:	1300kw × 2
EDG:	250kw × 1
Bow Thruster:	1000kw × 1
Elevators & Vacuum toilet to be equipped	

Interior photos:



Interior photos:



7、 126m Pax Cargo Cruise Ship (Ship Name: ARANUI 5, Hull No. : K-19)



1) This ship was built for French Polynesia shipowner, flying French flag and classed by BV, fulfilling with SRtP rules(Safety Return to Port).

2) Main particulars

Loa:	~126.08m	Pax:	112cabins (307p)
B:	22.20m	Containers:	166TEU
D:	7.85 m m	Max speed:	17Kn
T scantling:	5.20 m	Classification:	BV
Deadweight:	3000 t	The ship equipped with 3 lifts, vacuum toilets and swimming pool.	
Crew:	48cabins (100P)		





8、999P/950LM Coastal RoPax (Shipname: FengHuangLing/BaiShiLing, Hull No. : K-20/21)



Loa:	127.00m	Max speed:	18.3Kn
Lbp:	119.50m	Lane meters:	950m(2 decks)
B:	20.50m	M/E:	2206 KW × 2
D:	6.50m	GenSets:	550kw × 3
T design:	4.35m	EDG:	235kw × 1
Deadweight:	2600t	Bow Thruster:	400kw × 1
Crew:	48p	Lift:	1set
Pax:	999P		

9、1500P/2500LM RoPax (shipname: Huadong Pearl 8, Hull No. K-27)



Loa:	196.00m
Lbp:	176.00m
B:	28.60m
D:	9.00/14.80m
T design:	6.20m
T scantling:	6.50m
Deadweight@T scantling:	7000t
GRT:	34015
Crew:	100p
Pax:	1500P

Max speed:	22Kn
Endurance:	4000n.m
Lane meters:	2569m(3 decks)
M/E:	MAN B&W 9L48/60CR 10800 KW×2
S/G:	1600kw×2
GenSets:	750kw×3
EDG:	250kw×1
Bow Thruster:	900kw×2
Lift:	3sets


10、1500P/1400LM RoPax (shipname: Dandong Peral, Hull No. K-26)



Loa:	185.00m
Lbp:	171.00m
B:	25.80m
D:	9.20/14.60m
T design:	6.30m
T scantling:	6.60m
Deadweight@T scantling:	6000t
GRT:	23500
Crew:	88p
Pax:	1488P

Max speed:	23Kn
Endurance:	4000n.m
Lane meters:	1400m(2 decks)
M/E:	MAN B&W 9L48/60CR 10800 KW×2
S/G:	1200kw×2
GenSets:	750kw×3
EDG:	250kw×1
Bow Thruster:	750kw×2
Lift:	2sets


11、 800P ConPax Ship (shipname: Ocean Blue Whale, Hull No. K-28)



Loa:	182.60m
Lbp:	169.50m
B:	25.20m
D:	12.10m
T design:	7.20m
T scantling:	7.35m
Deadweight@T design:	10500t
GRT:	19000
Crew:	70p
Pax:	770P


Service speed:	22.5Kn
Endurance:	4000n.m
Containers:	462TEU
M/E:MAN B&W 9S50ME-C8.5	14940KW×2
S/G:	1600kw×2
GenSets:	1000kw×3
EDG:	250kw×1
Bow Thruster:	900kw×2
Lift:	2sets

12、1080P/2480LM RoPax (shipname: Harmony Yungang, Hull No. K-32)



Loa:	196.00m	Service speed:	22kts
Lbp:	176.00m	Endurance:	4000n.m
B:	28.60m	Lane meters:	2480m(3 decks)
D:	9.00/14.80m	Containers:	168TEU
T design:	6.20m	M/E:	MAN B&W 9L48/60CR 10800 KW×2
T scantling:	6.50m	S/G:	1600kw×2
Deadweight@T scantling:	7000t	GenSets:	750kw×4
GRT:	34020	EDG:	250kw×1
Crew:	81p	Bow Thruster:	900kw×2
Pax:	1080P	Lift:	2sets

13、1200P/1680LM RoPax (shipname: New Shidao Pearl, Hull No. K-29)




Loa:	169.90m
Lbp:	158.00m
B:	26.20m
D:	8.60/14.20m
T design:	6.00m
T scantling:	6.35m
Deadweight@T design:	7000t
GRT:	19900
Crew:	80p
Pax:	1200P

Service speed:	20.3Kn
Endurance:	4000n.m
Lane meters:	1680m(3 decks)
Containers:	168TEU
M/E:	WARTSILA 12V32 6960kW×2
S/G:	1600kw×2
GenSets:	750kw×3
EDG:	250kw×1
Bow Thruster:	1300kw×1
Lift:	2sets

II. order book in building progress

1、1200P/1680LM RoPax (shipname: pending, Hull No. K-33)




Loa:	169.90m	Service speed:	20.3Kn
Lbp:	158.00m	Endurance:	4000n.m
B:	26.20m	Lane meters:	1680m(3 decks)
D:	8.60/14.20m	Containers:	168TEU
T design:	6.00m	M/E:	WARTSILA 12V32 6960kW×2
T scantling:	6.35m	S/G:	1600kw×2
Deadweight@T design:	7000t	GenSets:	750kw×3
GRT:	19900	EDG:	250kw×1
Crew:	80p	Bow Thruster:	1300kw×1
Pax:	1200P	Lift:	2sets

2、2000P/3000LM RoPax (shipname: pending, Hull No. K-36)



Loa:	abt. 212.00m	Service speed:	18.8Kn
Lbp:	198.00m	Endurance:	5000n.m
B:	28.60m	Lane meters:	3050m(3 decks)
D:	9.20/15.30m	Containers:	168TEU
T design:	6.35m	M/E:	Man B&W 14V32/40 7000kW×2
T scantling:	6.50m	S/G:	1800kw×2
Deadweight@T design:	8200t	GenSets:	630kw×4
Deadweight@T scantling:	9000t	EDG:	250kw×1
Crew:	92p	Bow Thruster:	1000kw×2
Pax:	1967P	Lift:	2sets

3、2300P/2580LM RoPax (shipname: Sheng Sheng 3, Hull No. K-51)



Loa:	abt. 185.00m
Lbp:	171.20m
B:	28.60m
D:	9.20/15.30m
T design:	6.35m
T scantling:	6.55m
Deadweight@T design:	7200t
Deadweight@T scantling:	8000t
Crew:	107p
Pax:	2256P

Service speed:	19.4Kn
Endurance:	3000n.m
Lane meters:	2580m(3 decks)
Containers:	168TEU
M/E:	Man B&W 16V32/40 8000kW × 2
S/G:	2000kW × 2
GenSets:	1100kW × 3
EDG:	250kW × 1
Bow Thruster:	1300kW × 2
Lift:	2sets